

PELI LEGENDARY GUARANTEE OF EXCELLENCE

Injection Moulded Cases: Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection moulded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident. *Lifetime guarantee not applicable where prohibited by law.

Roto Moulded and Specialty Cases: Peli Products, S.L.U. ("Peli") warrants to the original purchaser of its rotationally moulded containers that its containers will be free of defects in materials and workmanship for a period of one year from the date of invoice. Such warranty does not cover any associated hardware including closure hardware, retractable handles, wheels, and fasteners, which Peli warrants against defects in materials and workmanship for a period of 90 days from the invoice date. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

Refer to www.peli.com/en/content/guarantee-excellence

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311

DEERFIELD

PELI HARDIGG CASES
USA HEADQUARTERS
147 North Main Street
South Deerfield, MA 01373
Tel (800) 542-7344
Fax (413) 665-8330
www.peli.com

EUROPE

FOR INFORMATION ON PELI LIGHTS, PELI CASES AND PELI STORM CASES IN EUROPE:

EUROPE, MIDDLE EAST & AFRICA HQ

PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE S.A.S.
487 rue Léopold Le Hon
01000 • Bourg en Bresse, France
Tel +33 4 74 22 80 40
Fax +33 4 74 22 09 34
www.peli.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Graf-Adolf-Platz 15
40213 • Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

ADVANCED AREA LIGHTING GROUP

PELI AALG LTD.
4 Chater Court
Halifax Drive • Market Deeping
Peterborough PE6 8AH, United Kingdom
Tel +44 (0) 1778 349000
Fax +44 (0) 1778 349004
aalg.peli.com

UAE

PELICAN PRODUCTS
MIDDLE EAST
JAFZA 13 office 032, P.O.Box 261008
Jebel Ali - Dubai - United Arab Emirates
Tel +971 (0)4 8876550
Fax +971 (0)4 8876549

FOR INFORMATION ON PELI HARDIGG CASES IN EUROPE:

PELI-HARDIGG UK CASE CENTER

Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
United Kingdom
Tel +44 (0) 1233 895895

PELI-HARDIGG FRANCE CASE CENTER

20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63

* We also have offices in Canada, Japan, China, Australia, South Korea and India.

CASE CATALOGUE

PELI™ CASE ■ PELI™ STORM CASE™ ■ PELI-HARDIGG™ ROTO PACK



©2013 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., a U.S. corporation, its subsidiaries and/or affiliates. EU CODE: 0030-000-101E JAN. 13


iPhone® and iPod are registered trademarks of Apple Inc.
VELCRO® is a registered trademark of Velcro Industries B.V.
BlackBerry® is a registered trademark of Research In Motion Limited

T-Mobile® is a registered trademark of Deutsche Telekom AG CORPORATION
Motorola is a registered trademark of Motorola, Inc.
Nokia is a registered trademark of Nokia Corporation

Follow us on



DISTRIBUTED BY:



MARKETS SERVED:

FIRE MILITARY INDUSTRIAL LAW ENFORCEMENT OUTDOOR DIVE



Dear Customer,

Our continued global expansion is evidenced by the recent acquisition of the leading Australian manufacturer of rotationally moulded storage and transit cases, Trimcast, Pty. Ltd. This acquisition is an example that underscores our companywide commitment to bringing to market the widest variety of high-impact, protective case solutions in the world. As such, in the coming months, we will be rolling out several more new products, services and technologies. With market research and feedback from our customers, I'm confident that our new products will meet needs not met by any other case company.

Additional advancements include the increase in our standardised solution products, the Peli Roto Pack offering. You'll find this group under the Peli-Hardigg™ brand in the following pages. It includes an array of single lid cases, extra large shipping containers, rackmount cases for electronics, and specialty products such as the mobile field desk.

You'll also find within a focus on Advanced Case Solutions which leverages years of customisation experience and a business model that literally executes on the promise "Protecting All That You value". Peli-Hardigg Advanced Case Solutions Centers provide a high level of case, cushioning and protective solutions. These solutions include everything from layered foam cushioning to extremely complex metal work and mechanised enhancements.

With one call, you can bring the expertise of more than 70 engineers, manufacturing facilities (USA, Europe and Australia), and strategically located solution centers to any technical challenge or deadline you face.

Please take a moment to peruse the pages herein and let us know how we can support your protector case needs.

CONTENTS

1	Message from the President and CEO	
	PELI™ CASE	
3-4	Anatomy of a Peli Case	
5-8	Memory Card Cases/Micro Cases	Peli ProGear™
9-10	Small Cases	
11-14	Medium Cases	
15-20	Digital Protection Cases	Peli ProGear™
21-22	Digital Protection Backpacks	Peli ProGear™
23-24	Elite Coolers	Peli ProGear™
25-30	Large Cases	
31-32	Long Cases	
33-34	Peli Organisation Solutions	
35-37	Peli Case Specifications	
38	Peli Case Accessories	
	PELI™ STORM CASE™	
39-40	Anatomy of a Peli Storm Case	
41-42	Small Cases	
43-44	Medium Cases	
45-46	Large Cases	
47-48	Long Cases	
49-50	Peli Storm Organisation Solutions	
51-52	Peli Storm Case Specifications	
	PELI-HARDIGG™ ROTO PACK	
53-54	Roto Pack - More Than A Box	
55-56	Single Lid	
57-58	Specialty Products	
59-60	Rackmount	
61-62	Miscellaneous Products / Global Locations	

 Peli ProGear™ range - High performance products built for consumers

ULTIMATE EQUIPMENT PROTECTION



For over 35 years Peli Products has built a reputation for manufacturing the toughest Protector Case™ in the world. As a matter of fact, we invented the category. Over these years we've seen our cases used for some fairly crazy activities... and important ones, too.

Peli™ cases have been thrown out of helicopters in Iraq, floated through frigid fjords in Norway and rolled over by SUVs in Tanzania. With only a few

scratches to show on the outside, contents inside are left unscathed. These are minor details for major bragging rights. And that is really what it's all about. Getting your gear from point A to point B in the condition it's meant to be in: intact and functional. Because it might contain a large format camera that will shoot next month's magazine cover or a heart defibrillator that could save a person's life, you can't put a price on it.

ANATOMY OF A PELI™ CASE



STRONGER BY DESIGN

Peli™ cases are made with a proprietary combination of homo-polymers and co-polymers, using an open cell core and solid wall construction, which is stronger and lighter than a solid core wall. Stainless steel pins are used in hinges and handles.

A WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.

B EASY ROLLER

Stainless steel ball bearing wheels last longer and ride smoother. The nylon hub adjacent to the stainless steel is made to resist heat. The result is less wear and tear on the polyurethane wheel.

C REINFORCED PADLOCK PROTECTORS

Stainless steel reinforced padlock protectors provide added strength and extra security against cutting and theft.

D DOUBLE-STEP LATCHES

The Double-Step latches are smarter and easier to open: it's the classic "C" clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.

E FOAM

All Peli™ cases with foam (except Micro Case Series™ cases, Memory Card Cases, 1780W, 1780HL, and 1780RF) come standard with Pick N Pluck™ foam. 1700, 1720, 1750 Cases come standard with 3 piece foam sets. Replacement foam is available for all models (except Memory Card Cases, i1010, i1030, i1015, 1055 and 1065). To order a case with no foam, add NF to the catalogue number.

F NAMEPLATE

Custom engraved nameplates are available for a nominal fee.

G COOL UNDER PRESSURE

The Automatic Pressure Equalisation Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open.

COLOURS



BLACK



DESERT TAN



ORANGE



SILVER



YELLOW



*OD GREEN

* OD green available upon request / Case contents not included



MEMORY CARD CASES

- Water resistant seal
- Lightweight insert liner absorbs shock and protects memory cards
- Made of tough Polycarbonate resin
- Personal belongings like keys, ID cards and cash can be stored in the ProGear Sport Wallet

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

0915 MEMORY CARD CASE **NEW**



14.1 x 8.3 x 2.2 cm (5.55" x 3.27" x 0.85")
12.2 x 5.7 x 1.4 cm (4.79" x 2.25" x 0.55")
N/A
0.1 kg (.22 lbs.) WITH LINER
■
N/A
N/A

0945 MEMORY CARD CASE **NEW**




14.1 x 8.3 x 2.2 cm (5.55" x 3.27" x 0.85")
12.2 x 5.7 x 1.4 cm (4.79" x 2.25" x 0.55")
N/A
0.1 kg (.21 lbs.) WITH LINER
■
N/A
N/A

0955 SPORT WALLET **PELI PROGEAR™ NEW**



14.1 x 8.3 x 2.2 cm (5.55" x 3.27" x 0.85")
12.2 x 5.7 x 1.4 cm (4.79" x 2.25" x 0.55")
N/A
0.1 kg (0.22 lbs.)
■
N/A
N/A

Case contents not included |  Pelic ProGear™ cases - High performance products built for consumers

MICRO CASE SERIES™

From small sensitive components and precision tools to portable MP3 players and smart phones. Protect your gear from the elements in a Micro Case Series™ case and eliminate the worries.

CASE | i1015 CASE

■ **INTERIOR DIMENSIONS:**
13.1 x 6.7 x 3.5 cm
(5.14" x 2.64" x 1.37")

■ **EXTERIOR DIMENSIONS:**
17 x 9.9 x 4.7 cm
(6.68" x 3.88" x 1.86")






Photo by Arnaud Thomas

1010 MICRO CASE

EXTERIOR DIMENSIONS	14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
INTERIOR DIMENSIONS	11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")
LID/BOTTOM DEPTH	1.8 cm / 2.4 cm (0.69" / 0.94")
WEIGHT	0.19 kg (0.41 lbs.) WITH FOAM 0.18 kg (0.4 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67



11010 MICRO CASE

EXTERIOR DIMENSIONS	14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
INTERIOR DIMENSIONS	11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")
LID/BOTTOM DEPTH	1.8 cm / 2.4 cm (0.69" / 0.94")
WEIGHT	0.19 kg (0.41 lbs.)
COLOURS	
AVAILABLE ACCESSORIES	N/A
CERTIFICATES	N/A



1015 MICRO CASE

EXTERIOR DIMENSIONS	17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
INTERIOR DIMENSIONS	13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")
LID/BOTTOM DEPTH	1.1 cm / 2.4 cm (0.43" / 0.94")
WEIGHT	0.21 kg (0.46 lbs.)
COLOURS	
AVAILABLE ACCESSORIES	N/A
CERTIFICATES	N/A



i1015 CASE

EXTERIOR DIMENSIONS	17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
INTERIOR DIMENSIONS	13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")
LID/BOTTOM DEPTH	1.1 cm / 2.4 cm (0.43" / 0.94")
WEIGHT	0.22 kg (0.49 lbs.)
COLOURS	
AVAILABLE ACCESSORIES	N/A
CERTIFICATES	N/A



FITS MODELS: iPhone® • BlackBerry® Curve/Storm/Pearl/Bold
T-Mobile® G1/ MyTouch 3G • Motorola Droid/Clq
Nokia 5800/5530/N97 Mini/E63/E71/E71x/E75/N79/N78

PELI PROGEAR™

EXTERIOR DIMENSIONS	19 x 12.8 x 5.4 cm (7.50" x 5.06" x 2.12")
INTERIOR DIMENSIONS	16.5 x 9.8 x 4.4 cm (6.50" x 3.87" x 1.75")
LID/BOTTOM DEPTH	1.8 cm / 2.4 cm (0.69" / 0.94")
WEIGHT	0.32 kg (0.71 lbs.) WITH FOAM 0.32 kg (0.7 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67



1020 MICRO CASE

EXTERIOR DIMENSIONS	17.3 x 12.1 x 5.4 cm (6.82" x 4.75" x 2.12")
INTERIOR DIMENSIONS	13.5 x 9 x 4.3 cm (5.31" x 3.56" x 1.68")
LID/BOTTOM DEPTH	1.8 cm / 2.4 cm (0.69" / 0.94")
WEIGHT	0.25 kg (0.56 lbs.) WITH FOAM 0.25 kg (0.55 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67



1050 MICRO CASE

EXTERIOR DIMENSIONS	19 x 12.8 x 7.9 cm (7.50" x 5.06" x 3.12")
INTERIOR DIMENSIONS	16 x 9.3 x 7 cm (6.31" x 3.68" x 2.75")
LID/BOTTOM DEPTH	1.8 cm / 4.9 cm (0.69" / 1.94")
WEIGHT	0.38 kg (0.83 lbs.) WITH FOAM 0.37 kg (0.81 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67



1030 MICRO CASE

EXTERIOR DIMENSIONS	19 x 9.8 x 6.2 cm (7.50" x 3.87" x 2.43")
INTERIOR DIMENSIONS	16.2 x 6.7 x 5.2 cm (6.37" x 2.62" x 2.06")
LID/BOTTOM DEPTH	1.8 cm / 3.2 cm (0.69" / 1.25")
WEIGHT	0.28 kg (0.61 lbs.) WITH FOAM 0.27 kg (0.6 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67



1060 MICRO CASE

EXTERIOR DIMENSIONS	23.8 x 14.1 x 6.7 cm (9.37" x 5.56" x 2.62")
INTERIOR DIMENSIONS	20.9 x 10.8 x 5.7 cm (8.25" x 4.25" x 2.25")
LID/BOTTOM DEPTH	1.8 cm / 3.7 cm (0.69" / 1.44")
WEIGHT	0.47 kg (1.03 lbs.) WITH FOAM 0.45 kg (1 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	Pick N Pluck™ foam insert
CERTIFICATES	IP67





Lightweight but extremely strong; compact yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, handheld GPS systems, and DSLR cameras.

SMALL CASES

1120 CASE



20.6 x 16.7 x 9 cm
(8.12" x 6.56" x 3.56")
18.4 x 12.1 x 7.8 cm
(7.25" x 4.75" x 3.06")
1.3 cm / 6.5 cm
(0.50" / 2.56")
0.56 kg (1.23 lbs.) WITH FOAM
0.53 kg (1.17 lbs.) NO FOAM
Panel frame, 3 pc. replacement foam set
IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1150 CASE



23.2 x 19.2 x 11.1 cm
(9.12" x 7.56" x 4.37")
20.8 x 14.4 x 9.2 cm
(8.18" x 5.68" x 3.62")
1.9 cm / 7.3 cm
(0.75" / 2.87")
0.9 kg (1.98 lbs.) WITH FOAM
0.8 kg (1.76 lbs.) NO FOAM
Panel frame, 3 pc. replacement foam set
IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1170 CASE



29.6 x 21.2 x 9.6 cm
(11.64" x 8.34" x 3.78")
26.8 x 15.3 x 8 cm
(10.54" x 6.04" x 3.16")
2.7 cm / 5.3 cm
(1.08" / 2.08")
0.95 kg (2.10 lbs.) WITH FOAM
0.89 kg (1.96 lbs.) NO FOAM
3 pc. replacement foam set
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1200 CASE



27 x 24.6 x 12.4 cm
(10.62" x 9.68" x 4.87")
23.5 x 18.1 x 10.5 cm
(9.25" x 7.12" x 4.12")
3 cm / 7.4 cm
(1.18" / 2.93")
1.3 kg (2.87 lbs.) WITH FOAM
1.2 kg (2.65 lbs.) NO FOAM
Panel frame, 3 pc. replacement foam set
IP67
DEF STAN 81-41/STANAG 4280

1300 CASE



27 x 24.6 x 17.4 cm
(10.62" x 9.68" x 6.87")
25.1 x 17.8 x 15.5 cm
(9.87" x 7.00" x 6.12")
3 cm / 12.5 cm
(1.18" / 4.93")
1.6 kg (3.53 lbs.) WITH FOAM
1.4 kg (3.09 lbs.) NO FOAM
Panel frame, 3 pc. replacement foam set
IP67
DEF STAN 81-41/STANAG 4280

1400 CASE



33.9 x 29.5 x 15.2 cm
(13.37" x 11.62" x 6.00")
30 x 22.5 x 13.2 cm
(11.81" x 8.87" x 5.18")
3 cm / 10.2 cm
(1.18" / 4.00")
2 kg (4.41 lbs.) WITH FOAM
1.8 kg (3.97 lbs.) NO FOAM
Panel frame, 3 pc. replacement foam set
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

Case contents not included | * = Available upon minimum quantities | ** = Available upon minimum quantities


MEDIUM CASES

Still mobile with a little more room for protecting slightly larger gear or multiple instruments and accessories. Interior options are available for extra protection. Select models meet carry-on luggage specifications.



1450 CASE Similarly sized Peli Storm Case: iM2200




40.6 x 33 x 17.4 cm (16.00" x 13.00" x 6.87")
37.1 x 25.8 x 15.2 cm (14.62" x 10.18" x 6.00")
4.4 cm / 10.8 cm (1.75" / 4.25")
2.9 kg (6.39 lbs.) WITH FOAM 2.5 kg (5.51 lbs.) NO FOAM

Panel frame, 3 pc. replacement foam set, padded divider set
IP67 • MIL C-4150J DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1460TOOL CASE




52.9 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")
47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")
12.5 cm / 15.3 cm (4.91" / 6.01")
5.9 kg (13 lbs.) WITH TRAY ASSEMBLY

N/A
N/A

NEW

1460 CASE




52.9 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")
47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")
12.5 cm / 15.3 cm (4.91" / 6.01")
5.66 kg (12.48 lbs.) WITH FOAM 3.97 kg (8.75 lbs.) NO FOAM

Replacement Foam Set
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES


1500 CASE Similarly sized Peli Storm Case: iM2300



47 x 35.7 x 17.6 cm (18.50" x 14.06" x 6.93")
42.5 x 28.4 x 15.5 cm (16.75" x 11.18" x 6.12")
4.6 cm / 10.9 cm (1.81" / 4.31")
3.2 kg (7.05 lbs.) WITH FOAM 2.9 kg (6.39 lbs.) NO FOAM

Panel frame, 3 pc. replacement foam set, padded divider set, Photo lid organiser, standard lid organiser, EMS Kit
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

1460EMS CASE



52.9 x 32.3 x 32.4 cm (20.85" x 12.73" x 12.75")
47.1 x 25.2 x 27.7 cm (18.54" x 9.92" x 10.92")
12.5 cm / 15.3 cm (4.91" / 6.01")
8.26 kg (18.2 lbs.) WITH TRAY ASSEMBLY

Tray system
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES




Case contents not included | * =  : Available upon minimum quantities



Photo by Marek Arcimowicz

1510 CARRY ON CASE Similarly sized Peli Storm Case: iM2500

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")
4.5 cm / 14.7 cm (1.79" / 5.79")
6.17 kg (13.6 lbs.) WITH FOAM 5.44 kg (11.99 lbs.) NO FOAM
4 pc. replacement foam set, padded divider set, lid organiser
IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1510LOC CASE Similarly sized Peli Storm Case: iM2500With computer sleeve
and accessories pouch

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")
4.5 cm / 14.7 cm (1.79" / 5.79")
6.17 kg (13.6 lbs.)
N/A
IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1510SC CASE**NEW**With padded dividers
and lid organiser

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")
4.5 cm / 14.7 cm (1.79" / 5.79")
6.17 kg (13.6 lbs.)
N/A
IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1510LFC CASE**NEW**

With lid organiser

55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
50.1 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")
4.5 cm / 14.7 cm (1.79" / 5.79")
6.17 kg (13.6 lbs.)
N/A
IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1520 CASE Similarly sized Peli Storm Case: iM2400

48.5 x 39.2 x 19.2 cm (19.12" x 15.43" x 7.56")
45.4 x 32.4 x 17.1 cm (17.87" x 12.75" x 6.75")
4.6 cm/12.5cm (1.81"/4.93")
4.24 kg (9.35 lbs.) WITH FOAM 3.76 kg (8.29 lbs.) NO FOAM
Panel frame, 3 pc. foam set, padded divider set, Photo lid organiser, standard lid organiser, convertible travel bag
IP67 • MIL C-4150J DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

Case contents not included

1550 CASE Similarly sized Peli Storm Case: iM2600

52.4 x 42.8 x 20.6 cm (20.62" x 16.87" x 8.12")
46.8 x 35.5 x 19.3 cm (18.43" x 14.00" x 7.62")
4.4 cm / 14.9 cm (1.75" / 5.87")
5.4 kg (11.9 lbs.) WITH FOAM 4.8 kg (10.58 lbs.) NO FOAM
Panel frame, 4 pc foam set, Pick N Pluck™ foam only, padded divider set, EMS Kit
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300



DIGITAL PROTECTION CASES

Mobility and protection in one. Peli's digital protection cases accommodate everything from eReaders, tablets, and netbooks to laptops up to 15 inches. Selected models have ample room and compartments for accessories and peripherals.



1055CC HARDBACK™ CASE

PELI PROGEAR™



Fits 7" tablets, eBook readers, iPad Mini, Google Nexus 7 tablets and Kindle Fire

23.9 x 17.8 x 3.1 cm (9.42" x 7.02" x 1.24")
21.7 x 14 x 2.2 cm (8.55" x 5.52" x 0.85")
1.1 cm / 1.1 cm (0.43" / 0.43")
0.37 kg (0.82 lbs.)
■
1055CC with Liner
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1065CC HARDBACK™ CASE

PELI PROGEAR™



Fits iPad, iPad 2, iPad with retina display with or without Smart Cover & 10" tablets

27.6 x 23.6 x 3.1 cm (10.86" x 9.28" x 1.24")
25.3 x 19.7 x 2.1 cm (9.96" x 7.76" x 0.81")
1 cm / 1 cm (0.41" / 0.41")
0.57 kg (1.25 lbs.)
■
1065CC with Liner
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

i1065

PELI PROGEAR™

NEW



Fits iPad, iPad 2, iPad with retina display with or without Smart Cover & 10" tablets

27.6 x 23.6 x 3.1 cm (10.86" x 9.28" x 1.24")
25.3 x 19.7 x 2.1 cm (9.96" x 7.76" x 0.81")
1 cm / 1 cm (0.41" / 0.41")
0.57 kg (1.25 lbs.)
■
i1065 with iPad Insert
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1070CC ULTRABOOK CASE

PELI PROGEAR™

NEW



Fits 13" Ultrabook™ laptops

15.29" x 11.96" x 1.60" (38.8 x 30.4 x 4.1 cm)
12.80" x 8.95" x 0.72" (32.5 x 22.7 x 1.8 cm)
0.9 cm / 0.9 cm (0.36" / 0.36")
2.80 lbs. (1.27 kg)
■
1070CC Ultrabook with Liner
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

i1075 HARDBACK™ CASE w/ IPAD INSERT*

PELI PROGEAR™



iPad, iPad 2, iPad with retina display with or without Smart Cover

31.4 x 24.8 x 5.4 cm (12.38" x 9.75" x 2.13")
28.2 x 20.1 x 4.1 cm (11.11" x 7.92" x 1.63")
2.1 cm / 2.1 cm (0.81" / 0.81")
1.15 kg (2.54 lbs.)
■
i1075 with iPad Insert
IP67

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1075/1075CC HARDBACK™ CASE

PELI PROGEAR™



Fits Netbooks and 10.1" tablets

1075CC
shown with
Laptop liner

31.4 x 24.8 x 5.4 cm (12.38" x 9.75" x 2.13")
28.2 x 20.1 x 4.1 cm (11.11" x 7.92" x 1.63")
2.1 cm / 2.1 cm (0.81" / 0.81")
0.7 kg (1.54 lbs.) WITH FOAM 0.64 kg (1.41 lbs.) NO FOAM
■
1075 with Pick N Pluck™ foam and convoluted convoluted lid foam
1075CC with Netbook Liner
N/A

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

1085/1085CC HARDBACK™ CASE

PELI PROGEAR™



1085CC shown with Laptop liner

Fits up to 14" laptops

EXTERIOR DIMENSIONS	39.7 x 31.5 x 6.3 cm (15.64" x 12.41" x 2.50")
INTERIOR DIMENSIONS	36.3 x 26.3 x 5 cm (14.29" x 10.37" x 1.97")
LID/BOTTOM DEPTH	2.5 cm / 2.5 cm (0.99" / 0.99")
WEIGHT	1.2 kg (2.65 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	1085 with Pick N Pluck™ foam and convoluted convoluted lid foam 1085CC with Laptop Liner
CERTIFICATES	N/A

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1095/1095CC HARDBACK™ CASE

PELI PROGEAR™



1095CC shown with Laptop liner

Fits up to 15.6" laptops

EXTERIOR DIMENSIONS	43.6 x 33.6 x 6.6 cm (17.18" x 13.24" x 2.60")
INTERIOR DIMENSIONS	40.1 x 28.3 x 5.2 cm (15.78" x 11.16" x 2.06")
LID/BOTTOM DEPTH	2.6 cm / 2.6 cm (1.03" / 1.03")
WEIGHT	1.38 kg (3.05 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	1095 with Pick N Pluck™ foam and convoluted convoluted lid foam 1095CC with Laptop Liner
CERTIFICATES	N/A

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1430 TOP LOADER CASE



EXTERIOR DIMENSIONS	43 x 24.4 x 34.1 cm (16.93" x 9.61" x 13.42")
INTERIOR DIMENSIONS	34.4 x 14.6 x 29.7 cm (13.56" x 5.76" x 11.70")
LID/BOTTOM DEPTH	5.1 cm / 24.6 cm (2.00" / 9.70")
WEIGHT	2.95 kg (6.5 lbs.) WITH FOAM 2.54 kg (5.6 lbs.) NO FOAM
COLOURS	■ **
AVAILABLE ACCESSORIES	Panel frame, 5 pc. foam set, strap kit, padded divider set, office divider kit, boat bracket kit, lid organiser
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1490 CASE



EXTERIOR DIMENSIONS	50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")
INTERIOR DIMENSIONS	45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")
LID/BOTTOM DEPTH	3.8 cm / 6.7 cm (1.50" / 2.62")
WEIGHT	2.95 kg (6.5 lbs.) WITH FOAM 2.48 kg (5.47 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	Panel frame, 3 pc. foam set, shoulder strap, computer lid organiser, computer bottom insert
CERTIFICATES	DEF STAN 81-41/STANAG 4280



See product on page 16

Peli ProGear™ cases - High performance products built for consumers

1440 TOP LOADER CASE



EXTERIOR DIMENSIONS	50 x 30.5 x 45.7 cm (19.70" x 12.00" x 18.00")
INTERIOR DIMENSIONS	43.4 x 19 x 40.6 cm (17.10" x 7.50" x 16.00")
LID/BOTTOM DEPTH	5.1 cm / 35.5 cm (2.00" / 14.00")
WEIGHT	7.48 kg (16.5 lbs.) WITH FOAM 6.58 kg (14.5 lbs.) NO FOAM
COLOURS	■ **
AVAILABLE ACCESSORIES	6 pc. foam set, utility padded divider set and lid organiser, office divider set and lid organiser, office lid organiser
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1490CC1 CASE



EXTERIOR DIMENSIONS	50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")
INTERIOR DIMENSIONS	45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")
LID/BOTTOM DEPTH	3.8 cm / 6.7 cm (1.50" / 2.62")
WEIGHT	2.95 kg (6.5 lbs.) WITH FOAM 2.48 kg (5.47 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	Computer lid organiser, computer bottom insert
CERTIFICATES	DEF STAN 81-41/STANAG 4280

1470 CASE



EXTERIOR DIMENSIONS	42.4 x 33.2 x 11.1 cm (16.68" x 13.06" x 4.37")
INTERIOR DIMENSIONS	39.7 x 26.5 x 9.5 cm (15.62" x 10.43" x 3.75")
LID/BOTTOM DEPTH	3.5 cm / 6 cm (1.37" / 2.37")
WEIGHT	2.5 kg (5.51 lbs.) WITH FOAM 1.94 kg (4.28 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	Panel frame, 3 pc. replacement foam set, shoulder strap
CERTIFICATES	MIL C-4150J

EXTERIOR DIMENSIONS	
INTERIOR DIMENSIONS	
LID/BOTTOM DEPTH	
WEIGHT	
COLOURS	
AVAILABLE ACCESSORIES	
CERTIFICATES	

1490CC2 CASE



EXTERIOR DIMENSIONS	50.4 x 35.4 x 11.9 cm (19.87" x 13.93" x 4.68")
INTERIOR DIMENSIONS	45.1 x 28.9 x 10.5 cm (17.75" x 11.37" x 4.12")
LID/BOTTOM DEPTH	3.8 cm / 6.7 cm (1.50" / 2.62")
WEIGHT	2.95 kg (6.5 lbs.) WITH FOAM 2.48 kg (5.47 lbs.) NO FOAM
COLOURS	■
AVAILABLE ACCESSORIES	2 pc. high density foam, computer lid organiser
CERTIFICATES	DEF STAN 81-41/STANAG 4280

Case contents not included | ** = ■ and □ : Available upon minimum quantities



See product on page 18

1495 CASE

EXTERIOR DIMENSIONS	54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")
INTERIOR DIMENSIONS	47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")
LID/BOTTOM DEPTH	2.8 cm / 6.8 cm (1.12" / 2.68")
WEIGHT	3.8 kg (8.37 lbs.) WITH FOAM 3.28 kg (7.23 lbs.) NO FOAM
COLOURS	■ **
AVAILABLE ACCESSORIES	3 pc. foam set, shoulder strap
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280

1495CC1 CASE

EXTERIOR DIMENSIONS	54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")
INTERIOR DIMENSIONS	47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")
LID/BOTTOM DEPTH	2.8 cm / 6.8 cm (1.12" / 2.68")
WEIGHT	5.03 kg (11.1 lbs.)
COLOURS	■ **
AVAILABLE ACCESSORIES	Attache/computer lid insert, 4 lb. high density foam
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280

1495CC2 CASE

EXTERIOR DIMENSIONS	54.9 x 43.8 x 12.4 cm (21.62" x 17.25" x 4.87")
INTERIOR DIMENSIONS	47.9 x 33.3 x 9.7 cm (18.87" x 13.12" x 3.81")
LID/BOTTOM DEPTH	2.8 cm / 6.8 cm (1.12" / 2.68")
WEIGHT	4.08 kg (8.99 lbs.)
COLOURS	■ **
AVAILABLE ACCESSORIES	Attache/computer lid insert, 4 lb. high density foam
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280

Case contents not included | ** = ■ and □ : Available upon minimum quantities



Photo by Arnaud Thomas



DIGITAL PROTECTION BACKPACKS

Peli ProGear™ Backpacks combine portability and tough protection with extreme engineering to bring you the ultimate safe transport for your most sensitive and vital equipment. Elite Backpacks feature built-in watertight, crushproof Peli cases for extreme laptop and tablet protection. Lighter weight models provide crush and impact resistance with integrated protective frames.

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS

U100 URBAN ELITE LAPTOP BACKPACK PELI PROGEAR™ NEW

	49.5 x 34.5 x 30.5 cm (19.50" x 13.60" x 12.00")
	39.4 x 26.7 x 3.8 cm (15.50" x 10.50" x 1.50")
	3.65 kg (8.05 lbs.)
	16L
	Urban Elite
	

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS


U105 URBAN LAPTOP BACKPACK PELI PROGEAR™ NEW

	52 x 31.7 x 24.1 cm (20.50" x 12.50" x 9.50")
	39.4 x 26.7 x 3.8 cm (15.50" x 10.50" x 1.50")
	1.91 kg (4.22 lbs.)
	19L
	Urban
	

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS

U140 URBAN ELITE TABLET BACKPACK PELI PROGEAR™ NEW

	49.5 x 34.5 x 29.2 cm (19.50" x 13.60" x 11.50")
	26.7 x 19 x 3.8 cm (10.50" x 7.50" x 1.50")
	3.1 kg (6.84 lbs.)
	18L
	Urban Elite
	

Case contents not included |  Peli ProGear™ backpacks - High performance products built for consumers

U145 URBAN TABLET BACKPACK PELI PROGEAR™ NEW

	50.1 x 31.7 x 16.5 cm (19.75" x 12.50" x 6.50")
	N/A
	0.98 kg (2.16 lbs.)
	15L
	Urban
	

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS

S100 SPORT ELITE LAPTOP BACKPACK PELI PROGEAR™ NEW


	47 x 33 x 25.4 cm (18.50" x 13.00" x 10.00")
	38.5 x 26.4 x 2.5 cm (15.15" x 10.40" x 1.00")
	3.24 kg (7.14 lbs.)
	25L
	Sport Elite
	

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS

S105 SPORT LAPTOP BACKPACK PELI PROGEAR™ NEW

	48.2 x 33 x 25.4 cm (19.00" x 13.00" x 10.00")
	N/A
	1.67 kg (3.68 lbs.)
	19.5L
	Sport
	

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
BAG VOLUME
GRADE
COLOURS

Case contents not included |  Peli ProGear™ backpacks - High performance products built for consumers



S140 SPORT ELITE TABLET BACKPACK PELI PROGEAR™ NEW

	50.8 x 33 x 25.4 cm (20.00" x 13.00" x 10.00")
	26.7 x 19 x 3.8 cm (10.5" x 7.5" x 1.5")
	3.06 kg (6.75 lbs.)
	20.5L
	Sport Elite
	

S145 SPORT TABLET BACKPACK PELI PROGEAR™ NEW

	48.2 x 31.7 x 20.3 cm (19.00" x 12.50" x 8.00")
	N/A
	1.04 kg (2.3 lbs.)
	21L
	Sport
	

Case contents not included |  Peli ProGear™ backpacks - High performance products built for consumers

ELITE COOLERS



Pelican ProGear™ Coolers offer maximum performance on every adventure. The coolers are built tough with the most durable polymers and are engineered with secure press and pull latches, a freezer-grade o-ring seal and dual handles for easy transport and tie-off. The uninterrupted solid wall construction will retain ice for 7 to 10 days.

35QT ELITE COOLER

PELI PROGEAR™ **NEW**67.1 x 50.8 x 47.6 cm
(26.41" x 20.00" x 18.75")40 x 30.5 x 29.2 cm
(15.75" x 12.00" x 11.50")14.59 kg
(32.16 lbs.)

33.12 Liters (Liquid)

Elite Cooler



EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

WEIGHT

BAG VOLUME

GRADE

COLOURS

45QT ELITE COOLER

PELI PROGEAR™ **NEW**75.3 x 50.8 x 48.9 cm
(29.66" x 20.00" x 19.25")48.2 x 30.5 x 30.5 cm
(19.00" x 12.00" x 12.00")16.31 kg
(35.95 lbs.)

42.59 Liters (Liquid)

Elite Cooler



EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

WEIGHT

BAG VOLUME

GRADE

COLOURS

65QT ELITE COOLER

PELI PROGEAR™ **NEW**94.3 x 50.8 x 50.1 cm
(37.16" x 20.00" x 19.75")67.3 x 30.5 x 31.7 cm
(26.50" x 12.00" x 12.50")21.77 kg
(48 lbs.)

61.51 Liters (Liquid)

Elite Cooler



EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

WEIGHT

BAG VOLUME

GRADE

COLOURS

Pelican ProGear™ cases - High performance products built for consumers



LARGE CASES



Designed for extreme protection during transport and storage. Customisable interiors allow for extra protection and inventory control. Select models feature retractable handles, extra wide grips, and sturdy casters for efficient mobility.

1560 CASE



56 x 45.5 x 26.5 cm
(22.06" x 17.93" x 10.43")

51.7 x 39.2 x 22.9 cm
(20.37" x 15.43" x 9.00")

5.1 cm / 17.8 cm
(2.00" / 7.00")

9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM

■ **

4 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organiser

IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1560LFC with lid organiser

NEW



56 x 45.5 x 26.5 cm
(22.06" x 17.93" x 10.43")

51.7 x 39.2 x 22.9 cm
(20.37" x 15.43" x 9.00")

5.1 cm / 17.8 cm
(2.00" / 7.00")

9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM

■

N/A

IP67
DEF STAN 81-41/STANAG 4280

1560LOC with computer sleeve and accessories pouch

NEW



56 x 45.5 x 26.5 cm
(22.06" x 17.93" x 10.43")

51.7 x 39.2 x 22.9 cm
(20.37" x 15.43" x 9.00")

5.1 cm / 17.8 cm
(2.00" / 7.00")

9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM

■

N/A

IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1600 CASE Similarly sized Pelic Storm Case: iM2700



61.6 x 49.3 x 22 cm
(24.25" x 19.43" x 8.68")

54.4 x 41.9 x 20 cm
(21.43" x 16.50" x 7.87")

4.4 cm / 15.5 cm
(1.75" / 6.12")

6.4 kg (14.1 lbs.) WITH FOAM
5.9 kg (13 lbs.) NO FOAM

■ ■ ■ ■ ■ ■

4 pc. foam set, Pick N Pluck™ foam only, padded divider set, lid organiser

IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

1560SC with padded dividers and lid organiser

NEW



56 x 45.5 x 26.5 cm
(22.06" x 17.93" x 10.43")

51.7 x 39.2 x 22.9 cm
(20.37" x 15.43" x 9.00")

5.1 cm / 17.8 cm
(2.00" / 7.00")

9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM

■

N/A

IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES





See product on page 30

1610 CASE Similarly sized Peli Storm Case: iM272062.7 x 49.7 x 30.3 cm
(24.71" x 19.58" x 11.93")55 x 42.2 x 26.8 cm
(21.68" x 16.62" x 10.56")5.2 cm / 21.6 cm
(2.06" / 8.50")10.2 kg (22.49 lbs.) WITH FOAM
9.07 kg (20 lbs.) NO FOAM5 pc. foam set, padded divider set,
lid organiserIP67
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES****1620 CASE** Similarly sized Peli Storm Case: iM275063 x 49.2 x 35.2 cm
(24.81" x 19.37" x 13.87")54.3 x 41.4 x 31.9 cm
(21.37" x 16.31" x 12.56")5.2 cm / 26.7 cm
(2.06" / 10.50")11.8 kg (26.01 lbs.) WITH FOAM
11.1 kg (24.47 lbs.) NO FOAM6 pc. foam set, padded divider set,
lid organiserIP67 • MIL C-4150J
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES****1630 TRANSPORT CASE**79.4 x 61.5 x 44.4 cm
(31.28" x 24.21" x 17.48")70.3 x 53.3 x 39.4 cm
(27.70" x 20.98" x 15.50")8.3 cm / 30.8 cm
(3.25" / 12.14")16.33 kg (36 lbs.) WITH FOAM
14.06 kg (31 lbs.) NO FOAM5 pc. foam set, padded divider set,
lid organiser Document Container
AccessoryIP67
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES****1640 TRANSPORT CASE**69.1 x 69.8 x 41.4 cm
(27.20" x 27.50" x 16.30")60.2 x 60.9 x 35.3 cm
(23.70" x 24.00" x 13.90")5.1 cm / 30.2 cm
(2.00" / 11.90")17.24 kg (38 lbs.) WITH FOAM
15.42 kg (34 lbs.) NO FOAM5 pc. foam set, padded divider set,
lid organiserIP67
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES**

Case contents not included | ** = and : Available upon minimum quantities

1650 CASE Similarly sized Peli Storm Case: iM295080.2 x 52 x 31.6 cm
(31.59" x 20.47" x 12.45")72.5 x 44.5 x 27 cm
(28.57" x 17.52" x 10.65")4.6 cm / 22.4 cm
(1.81" / 8.84")12.73 kg (28.06 lbs.) WITH FOAM
10.9 kg (24.03 lbs.) NO FOAM4 pc. foam set, padded divider set,
photo lid organiserIP67 • MIL C-4150J • DEF STAN
81-41/STANAG 4280 • ATA 300**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES****1660 CASE**80 x 58.1 x 48.2 cm
(31.50" x 22.87" x 19.00")71.5 x 50.1 x 44.7 cm
(28.18" x 19.75" x 17.62")8.9 cm / 35.9 cm
(3.50" / 14.12")19.1 kg (42.11 lbs.) WITH FOAM
15.5 kg (34.17 lbs.) NO FOAM5 pc. foam set, padded divider set,
photo lid organiserIP67
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES****1690 TRANSPORT CASE**84.7 x 72.2 x 46.3 cm
(33.36" x 28.44" x 18.23")76.2 x 63.5 x 38.1 cm
(30.01" x 25.02" x 15.00")7.3 cm / 30.8 cm
(2.86" / 12.14")19.5 kg (43 lbs.) WITH FOAM
15.42 kg (34 lbs.) NO FOAM5 pc. foam set, padded divider set,
lid organiserIP67
DEF STAN 81-41/STANAG 4280**EXTERIOR DIMENSIONS****INTERIOR DIMENSIONS****LID/BOTTOM DEPTH****WEIGHT****COLOURS****AVAILABLE ACCESSORIES****CERTIFICATES**

Case contents not included | ** = and : Available upon minimum quantities





See product on page 26

1730 TRANSPORT CASE

95.2 x 68.9 x 36.5 cm
(37.50" x 27.13" x 14.37")86.3 x 60.9 x 31.7 cm
(34.00" x 24.00" x 12.50")6.3 cm / 25.4 cm
(2.50" / 10.00")17.24 kg (38 lbs.) WITH FOAM
13.61 kg (30 lbs.) NO FOAM

5 pc. replacement foam set

IP67

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1780 TRANSPORT CASE

114 x 64.3 x 41.9 cm
(44.90" x 25.32" x 16.50")106.6 x 55.9 x 38.3 cm
(42.00" x 22.00" x 15.10")19.2 cm / 18.5 cm
(7.58" / 7.30")22.23 kg (49 lbs.) WITH FOAM
17.42 kg (38.4 lbs.) NO FOAM6 pc. replacement foam set
Pick N Pluck™ foam only

DEF STAN 81-41/STANAG 4280

Case contents not included | ** = and : Available upon minimum quantities

0340 CUBE CASE

52 x 52 x 48.9 cm
(20.50" x 20.50" x 19.25")45.7 x 45.7 x 45.7 cm
(18.00" x 18.00" x 18.00")11.4 cm / 34.3 cm
(4.50" / 13.50")13.5 kg (29.76 lbs.) WITH FOAM
10.89 kg (24 lbs.) NO FOAM7 pc. replacement foam set,
padded divider set, lid organiserIP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

0350 CUBE CASE

57.1 x 56.9 x 54 cm
(22.50" x 22.43" x 21.25")50.8 x 50.8 x 50.8 cm
(20.00" x 20.00" x 20.00")12.7 cm / 38.1 cm
(5.00" / 15.00")14.52 kg (32.01 lbs.) WITH FOAM
11.79 kg (25.99 lbs.) NO FOAM7 pc. foam set, padded divider set,
lid organiser, cube case mobility
packageIP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

0370 CUBE CASE

67.3 x 67.3 x 64.1 cm
(26.50" x 26.50" x 25.25")60.9 x 60.9 x 60.9 cm
(24.00" x 24.00" x 24.00")12.7 cm / 48.2 cm
(5.00" / 19.00")18.6 kg (41 lbs.) WITH FOAM
14.5 kg (31.97 lbs.) NO FOAM7 pc. foam set, padded divider set,
lid organiser, cube case mobility
packageIP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

0450 MOBILE TOOL CHEST

60.8 x 37.5 x 45.6 cm
(23.95" x 14.75" x 17.95")52.2 x 27.9 x 32.1 cm
(20.56" x 10.97" x 12.65")

N/A

14.97 kg (33 lbs.) NO DRAWERS
18.82 kg (41.5 lbs.) WITH DRAWERSDeep drawer, shallow drawer,
4" drawer, top tray, vertical tool
pallet and horizontal tool pallet

MIL-STD-810F

0500 TRANSPORT CASE

101.4 x 59.5 x 72.7 cm
(39.95" x 23.45" x 28.65")88.7 x 46.8 x 64.1 cm
(34.95" x 18.45" x 25.25")5.7 cm / 58.4 cm
(2.25" / 23.00")26.58 kg (58.6 lbs.) WITH FOAM
22.68 kg (50 lbs.) NO FOAM7 pc. replacement foam set,
caster wheel kit, pallet riser kit
document container accessory

N/A

0550 TRANSPORT CASE

129.6 x 69.9 x 57.9 cm
(51.05" x 27.54" x 22.79")120.8 x 61.1 x 44.9 cm
(47.57" x 24.07" x 17.68")8.1 cm / 36.8 cm
(3.19" / 14.49")43.09 kg (95 lbs.) WITH FOAM
35.92 kg (79.2 lbs.) NO FOAM6 pc. replacement foam set,
caster wheel kit, pallet riser kit
document container accessory

IP55

Case contents not included | ** = and : Available upon minimum quantities

LONG CASES

Ideal for weapons but also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport.

1700 LONG CASE

Similarly sized Peli Storm Case: iM3100



Shown with custom foam set

96.8 x 40.6 x 15.5 cm
(38.12" x 16.00" x 6.12")

90.8 x 34.3 x 13.3 cm
(35.75" x 13.50" x 5.25")

4.4 cm / 8.9 cm
(1.75" / 3.50")

7.7 kg (16.98 lbs.) WITH FOAM
7.3 kg (16.09 lbs.) NO FOAM



3 pc. replacement foam set

IP67 • MIL C-4150J
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1720 LONG CASE

Similarly sized Peli Storm Case: iM3200



112.7 x 40.6 x 15.5 cm
(44.37" x 16.00" x 6.12")

106.6 x 34.3 x 13.3 cm
(42.00" x 13.50" x 5.25")

4.4 cm / 8.9 cm
(1.75" / 3.50")

8.6 kg (18.96 lbs.) WITH FOAM
7.6 kg (16.76 lbs.) NO FOAM



3 pc. replacement foam set

DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

Case contents not included | *** = Only available without foam; Available upon minimum quantities | **** = and Without foam version is only available upon min. quantities

1740 LONG CASE



112.1 x 40.9 x 35.5 cm
(44.16" x 16.09" x 14.00")

104 x 32.8 x 30.8 cm
(40.98" x 12.92" x 12.51")

6.5 cm / 24.3 cm
(2.56" / 9.57")

12.25 kg (27 lbs.) WITH FOAM
9.98 kg (22 lbs.) NO FOAM



6 pc. replacement foam set, document container accessory

IP65

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1750 LONG CASE

Similarly sized Peli Storm Case: iM3300



134.6 x 40.6 x 15.5 cm
(53.00" x 16.00" x 6.12")

128.2 x 34.3 x 13.3 cm
(50.50" x 13.50" x 5.25")

4.4 cm / 8.9 cm
(1.75" / 3.50")

11.6 kg (25.57 lbs.) WITH FOAM
10.7 kg (23.59 lbs.) NO FOAM



3 pc. replacement foam set

IP67
DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1770 LONG CASE



145.8 x 46.9 x 28.5 cm
(57.42" x 18.48" x 11.23")

138.6 x 39.6 x 21.9 cm
(54.58" x 15.58" x 8.63")

4.8 cm / 17.1 cm
(1.88" / 6.75")

16.33 kg (36 lbs.) WITH FOAM
13.15 kg (29 lbs.) NO FOAM



4 pc. replacement foam set, document container accessory

N/A

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

Case contents not included | *** = Only available without foam; Available upon minimum quantities | ** = and Available upon minimum quantities

1780RF LONG CASE (with Rifle FOAM Insert)



*Fits M4, M16 firearms
*Fast loading, lockable metal cross bar

114 x 64.3 x 41.9 cm
(44.90" x 25.32" x 16.50")

106.6 x 55.9 x 38.3 cm
(42.00" x 22.00" x 15.10")

19.2 cm / 18.5 cm
(7.58" / 7.30")

24.04 kg (53 lbs.) WITH FOAM



High-density foam tray option for 10 firearms with scopes

DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

1780W HL LONG CASE (with Rifle Hard Liner Insert)



*Fits M4, M16 firearms
*Fast loading, lockable metal cross bar

114 x 64.3 x 41.9 cm
(44.90" x 25.32" x 16.50")

106.6 x 55.9 x 38.3 cm
(42.00" x 22.00" x 15.10")

19.2 cm / 18.5 cm
(7.58" / 7.30")

31.03 kg (68.4 lbs.) HARD LINER



Rigid polyethylene tray option for 12 firearms

DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES





0340 CUBE CASE
(shown with)

- Cat. No. 0349 lid organiser for 0340 Cube Case
- Cat. No. 0344 0340 with padded divider set

PELI ORGANISATION SOLUTIONS

LID ORGANISERS

Made of leather or waterproof ballistic nylon with nylon zippers. A multitude of pockets in various sizes protect and keep your gear organised. Installs with Velcro® strips (included) or self tapping screws.

PADDED DIVIDERS

Main dividers that span the length of the case are complemented by varying sizes of subdividers. Velcro® edges make it easy to reposition these dividers into the spaces you need. See individual accessory configurations product listings for availability.



1610 PELI™ CASE

- Cat. No. 1614 (shown) 1610 case with padded divider set
- Cat. No. 1615 divider set

Case contents not included

LID ORGANISER OPTIONS

CASE	LID ORGANISER OPTIONS			
	MESH	COMPUTER	PHOTO	EMS
1430			1439 Photo ^A	
1440	1449 Mesh ^A			
1490		1498 Computer ^B		
1495		1495 Computer ^B		
1500	1509 Mesh		1508 Photo	1505 EMS ^B
1510	1519 Mesh ^A			
1520	1509 Mesh		1508 Photo ^B	
1550				1555 EMS ^B
1560	1569 Mesh			
1600	1609 Mesh ^B			1605 EMS ^A
1610	1609 Mesh ^B			
1620	1609 Mesh ^B			
1630	1639 Mesh ^A			
1640	0379 Mesh ^A			
1650	1659 Mesh ^A			
1660	1669 Mesh ^A			
1690	1699 Mesh ^A			
0340	0349 Mesh ^A			
0350	0359 Mesh ^A			
0370	0379 Mesh ^A			

A= With mounting screws **B=** With mounting Velcro®

MESH LID ORGANISERS

present an array of compartments with mesh nylon zipper pockets to house, protect, and organise various gear.

COMPUTER LID ORGANISERS

are styled with deep expandable folder pockets and sleeves for various office attaché style components.

PHOTO LID ORGANISERS

have multiple compartments including an assortment of elastic strapping and mesh nylon zipper pockets to organise and protect photo equipment.

EMS LID ORGANISERS

is a specially engineered lid organise with clear pockets to quickly spot medical supplies in any emergency.

PADDED DIVIDER OPTIONS

CASE	LAYERS	CASE WITH DIVIDERS (CAT. NO.)	DIVIDER SET ONLY (CAT. NO.)
1450	1	1454	1455
1500	1	1504	1505
1510	1	1514	1515
1520	1	1524	1525
1550	1	1554	1555
1560	1	1564	1565
1600	1	1604	1605
1610	1	1614	1615
1620	2	1624	1625
1630	2	1634	1635
1640	2	1644	1645
1650	1	1654	1655
1660	2	1664	1665
1690	2	1694	1695
0340	2	0344	0345
0350	2	0354	0355
0370	2	0374	0375

THE PELI™ STORM CASE™



Lightweight and rugged, the Peli™ Storm Case™ is the result of years of perfecting and testing in both the laboratory and the field. From the proprietary HPX™ plastic resin that is tough during low-temperature impact testing, to the patented Press & Pull latch that opens easily, every facet of these lightweight cases has been created to defend your vital gear.

The Peli™ Storm Case™ has been designed to meet or exceed military testing requirements. Many are airline size appropriate, and all are internationally shippable.

ANATOMY OF A PELI™ STORM CASE™



A RESILIENT HPX™
High impact shell.



B PRESS & PULL LATCHES
Unique Press & Pull Latches

open with the push of a button, yet stay closed securely under impact or stress.

C RUGGED IN-LINE WHEELS
Ball bearing wheels provide low-friction, low drag rolling for easy movement of heavy loads. Available on select models.

D DOUBLE-LAYERED, SOFT-GRIP HANDLES
Tested and proven strong, these comfort grips withstand heavy loads.

E MOULDED IN HASPS
Unbreakable moulded-in hasps, allow you to add standard size padlocks, offering another measure of security.


F ROUNDED DEFLECTIVE CORNERS
The corners of a Peli™ Storm Case™ deflect and absorb impact, dispensing kinetic energy throughout the case to ensure contents remain safe drop after drop.

G VORTEX™ VALVE
Permanently attached Vortex™ valve automatically adjusts air pressure without letting in water, and won't unscrew from the case.


COLOURS



BLACK



YELLOW



OD GREEN

SMALL CASES

Perfect for small gear and instruments but still have features found in larger cases: strong HPX™ resin construction, Vortex™ valve, and Press & Pull latches.



IM2050 STORM CASE Similarly sized Peli Case: 1200

EXTERIOR DIMENSIONS	30 x 24.9 x 11.9 cm (11.80" x 9.80" x 4.70")
INTERIOR DIMENSIONS	24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")
LID/BOTTOM DEPTH	3.8 cm / 7 cm (1.50" / 2.75")
WEIGHT	1.36 kg (3 lbs.) WITH FOAM 1.22 kg (2.7 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	3 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit
CERTIFICATES	MIL-STD-810F • FED-STD-101C ATA 300

IM2075 STORM CASE Similarly sized Peli Case: 1300

EXTERIOR DIMENSIONS	30 x 24.9 x 19.6 cm (11.80" x 9.80" x 7.70")
INTERIOR DIMENSIONS	24.1 x 19 x 18.4 cm (9.50" x 7.50" x 7.25")
LID/BOTTOM DEPTH	3.8 cm / 14.6 cm (1.50" / 5.75")
WEIGHT	1.68 kg (3.7 lbs.) WITH FOAM 1.5 kg (3.3 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	4 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit
CERTIFICATES	MIL-STD-810F • FED-STD-101C ATA 300

Shown with optional panel frame

IM2100 STORM CASE Similarly sized Peli Case: 1400

EXTERIOR DIMENSIONS	36.1 x 28.9 x 16.5 cm (14.20" x 11.40" x 6.50")
INTERIOR DIMENSIONS	33 x 23.4 x 15.2 cm (13.00" x 9.20" x 6.00")
LID/BOTTOM DEPTH	5.1 cm / 10.2 cm (2.00" / 4.00")
WEIGHT	2.22 kg (4.9 lbs.) WITH FOAM 1.91 kg (4.2 lbs.) NO FOAM
COLOURS	
AVAILABLE ACCESSORIES	4 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit
CERTIFICATES	MIL-STD-810F • FED-STD-101C ATA 300

Case contents not included

MEDIUM CASES

From firefighters, EMTs, and law enforcement to industrial engineers and photographers, there's a Peli™ Storm Case™ for every professional. Built strong with multiple interior options to protect the most sensitive gear.

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2200 STORM CASE

Similarly sized Peli Case: 1450



41.1 x 32.2 x 16.8 cm (16.20" x 12.70" x 6.60")
38.1 x 26.7 x 15.2 cm (15.00" x 10.50" x 6.00")
5.1 cm / 10.2 cm (2.00" / 4.00")
2.77 kg (6.1 lbs.) WITH FOAM 2.22 kg (4.9 lbs.) NO FOAM
■ ■
4 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit, lid bezel kit
MIL-STD-810F • FED-STD-101C ATA 300

IM2300 STORM CASE

Similarly sized Peli Case: 1500



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

46.2 x 34 x 17 cm (18.20" x 13.40" x 6.70")
43.2 x 29.7 x 15.7 cm (17.00" x 11.70" x 6.20")
5.1 cm / 10.7 cm (2.00" / 4.20")
3.22 kg (7.1 lbs.) WITH FOAM 2.68 kg (5.9 lbs.) NO FOAM
■ ■ ■
4 pc. foam set, lid stay, padded shoulder strap, purge valve, padded dividers, base bezel kit, lid bezel kit, lid organiser, photography pallet
MIL-STD-810F • FED-STD-101C ATA 300

IM2306 STORM CASE



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

46.2 x 21.3 x 17 cm (18.20" x 8.40" x 6.70")
43.2 x 16 x 15.7 cm (17.00" x 6.30" x 6.20")
5.1 cm / 10.7 cm (2.00" / 4.20")
2.13 kg (4.7 lbs.) WITH FOAM 1.95 kg (4.3 lbs.) NO FOAM
■ ■
4 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit, lid bezel kit
MIL-STD-810F • FED-STD-101C ATA 300

IM2370 STORM LAPTOP CASE



50.8 x 37.3 x 14.7 cm (20.00" x 14.70" x 5.80")
46.2 x 30.7 x 13.2 cm (18.20" x 12.10" x 5.20")
4.3 cm / 8.9 cm (1.70" / 3.50")
3.27 kg (7.2 lbs.) WITH FOAM 2.59 kg (5.7 lbs.) NO FOAM
■ ■
4 pc. foam set, padded shoulder strap, manual purge valve, padded dividers, computer tray, utility organiser
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2400 STORM CASE

Similarly sized Peli Case: 1520



48.7 x 38.6 x 18.5 cm (19.20" x 15.20" x 7.30")
45.7 x 33 x 17 cm (18.00" x 13.00" x 6.70")
5.1 cm / 11.9 cm (2.00" / 4.70")
3.54 kg (7.8 lbs.) WITH FOAM 2.95 kg (6.5 lbs.) NO FOAM
■ ■ ■
4 pc. foam set, lid stay, padded shoulder strap, purge valve, padded dividers, base bezel kit, lid bezel kit, lid organiser, photography pallet
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2450 STORM CASE



48.7 x 38.6 x 22.9 cm (19.20" x 15.20" x 9.00")
45.7 x 33 x 21.3 cm (18.00" x 13.00" x 8.40")
5.1 cm / 16.2 cm (2.00" / 6.40")
4.04 kg (8.9 lbs.) WITH FOAM 3.36 kg (7.4 lbs.) NO FOAM
■ ■
5 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit, lid bezel kit, photography pallet
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2500 STORM CARRY ON CASE

Similarly sized Peli Case: 1510



55.1 x 35.8 x 22.6 cm (21.70" x 14.10" x 8.90")
52 x 29.2 x 18.3 cm (20.50" x 11.50" x 7.20")
5.1 cm / 13.2 cm (2.00" / 5.20")
6.21 kg (13.7 lbs.) WITH FOAM 5.03 kg (11.1 lbs.) NO FOAM
■ ■ ■
5 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2600 STORM CASE

Similarly sized Peli Case: 1550



53.8 x 40.6 x 21.1 cm (21.20" x 16.00" x 8.30")
50.8 x 35.5 x 19.6 cm (20.00" x 14.00" x 7.70")
5.1 cm / 14.5 cm (2.00" / 5.70")
5.26 kg (11.6 lbs.) WITH FOAM 3.86 kg (8.5 lbs.) NO FOAM
■ ■ ■
5 pc. foam set, lid stay, padded shoulder strap, purge valve, padded dividers, base bezel kit, lid bezel kit, lid organiser, photography pallet
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

IM2620 STORM CASE



53.8 x 40.6 x 26.9 cm (21.20" x 16.00" x 10.60")
50.8 x 35.5 x 25.4 cm (20.00" x 14.00" x 10.00")
5.1 cm / 20.3 cm (2.00" / 8.00")
6.58 kg (14.5 lbs.) WITH FOAM 5.67 kg (12.5 lbs.) NO FOAM
■ ■
6 pc. foam set, lid stay, padded shoulder strap, purge valve, padded dividers, base bezel kit, lid bezel kit, lid organiser, photography pallet
MIL-STD-810F • FED-STD-101C ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLOURS
AVAILABLE ACCESSORIES
CERTIFICATES

LARGE CASES

In the lab or in the field, the large Peli™ Storm Case™ with HPX™ resin construction protect and store valuable and sensitive samples and testing instruments from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM2700 STORM CASE Similarly sized Peli Case: 1600



62.5 x 50 x 21.8 cm
(24.60" x 19.70" x 8.60")

55.9 x 43.2 x 20.3 cm
(22.00" x 17.00" x 8.00")

5.1 cm / 15.2 cm
2.00" / 6.00"

6.53 kg (14.4 lbs.) WITH FOAM
5.03 kg (11.1 lbs.) NO FOAM



5 pc. foam set, lid stay, padded shoulder strap, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

Case contents not included

IM2720 STORM CASE Similarly sized Peli Case: 1610



62.5 x 50 x 29.7 cm
(24.60" x 19.70" x 11.70")

55.9 x 43.2 x 25.4 cm
(22.00" x 17.00" x 10.00")

5.1 cm / 20.3 cm
(2.00" / 8.00")

9.98 kg (22 lbs.) WITH FOAM
7.62 kg (16.8 lbs.) NO FOAM



5 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM2750 STORM CASE Similarly sized Peli Case: 1620



62.5 x 50 x 36.6 cm
(24.60" x 19.70" x 14.40")

55.9 x 43.2 x 32.2 cm
(22.00" x 17.00" x 12.70")

5.1 cm / 27.2 cm
(2.00" / 10.70")

10.61 kg (23.4 lbs.) WITH FOAM
8.39 kg (18.5 lbs.) NO FOAM



7 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM2950 STORM CASE Similarly sized Peli Case: 1650



79.5 x 51.8 x 31 cm
(31.30" x 20.40" x 12.20")

73.6 x 45.7 x 26.7 cm
(29.00" x 18.00" x 10.50")

5.1 cm / 21.6 cm
(2.00" / 8.50")

13.02 kg (28.7 lbs.) WITH FOAM
9.43 kg (20.8 lbs.) NO FOAM



6 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM2975 STORM TRANSPORT CASE



79.5 x 51.8 x 39.4 cm
(31.30" x 20.40" x 15.50")

73.6 x 45.7 x 35 cm
(29.00" x 18.00" x 13.80")

5.1 cm / 30 cm
(2.00" / 11.80")

13.38 kg (29.5 lbs.) WITH FOAM
10.34 kg (22.8 lbs.) NO FOAM



8 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM2875 STORM CASE



63.2 x 60.2 x 33.3 cm
(24.90" x 23.70" x 13.10")

57.1 x 53.6 x 28.9 cm
(22.50" x 21.10" x 11.40")

5.1 cm / 23.9 cm
(2.00" / 9.40")

11.16 kg (24.6 lbs.) WITH FOAM
9.12 kg (20.1 lbs.) NO FOAM



7 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM3075 STORM TRANSPORT CASE



84.5 x 62 x 49 cm
(33.30" x 24.40" x 19.30")

75.7 x 52.8 x 45.2 cm
(29.80" x 20.80" x 17.80")

10.2 cm / 34.9 cm
(4.00" / 13.75")

20.41 kg (45 lbs.) WITH FOAM
14.29 kg (31.5 lbs.) NO FOAM



7 pc. foam set, lid stay, manual purge valve, padded dividers, base bezel kit, lid bezel kit, utility organiser

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

Case contents not included


LONG CASES

Popular with military personnel and outdoor sports enthusiasts. Equipped with sturdy in-line wheels, double layered soft grip handles, and powerful hinges. 4 sizes available.

IM3100 STORM CASE Similarly sized Peli Case: 1700



101.1 x 41.9 x 17 cm
(39.80" x 16.50" x 6.70")
92.7 x 35.5 x 15.2 cm
(36.50" x 14.00" x 6.00")
5.1 cm / 10.2 cm
(2.00" / 4.00")
8.98 kg (19.8 lbs.) WITH FOAM
6.89 kg (15.2 lbs.) NO FOAM



4 pc. foam set, lid stay, manual purge valve, padded shoulder strap

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES


IM3300 STORM CASE Similarly sized Peli Case: 1750



136.6 x 41.9 x 17 cm
(53.80" x 16.50" x 6.70")
128.2 x 35.5 x 15.2 cm
(50.50" x 14.00" x 6.00")

5.1 cm / 10.2 cm
(2.00" / 4.00")

10.43 kg (23 lbs.) WITH FOAM
8.66 kg (19.1 lbs.) NO FOAM



4 pc. foam set, lid stay, manual purge valve, padded shoulder strap

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM3200 STORM CASE Similarly sized Peli Case: 1720



119.8 x 41.9 x 17 cm
(47.20" x 16.50" x 6.70")

111.7 x 35.5 x 15.2 cm
(44.00" x 14.00" x 6.00")

5.1 cm / 10.2 cm
(2.00" / 4.00")

9.57 kg (21.1 lbs.) WITH FOAM
8.03 kg (17.7 lbs.) NO FOAM



4 pc. foam set, lid stay, manual purge valve, padded shoulder strap

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

IM3220 STORM CASE



119.8 x 41.9 x 23.4 cm
(47.20" x 16.50" x 9.20")

111.7 x 35.5 x 21.6 cm
(44.00" x 14.00" x 8.50")

5.1 cm / 16.5 cm
(2.00" / 6.50")

11.25 kg (24.8 lbs.) WITH FOAM
9.25 kg (20.4 lbs.) NO FOAM



4 pc. foam set, lid stay, manual purge valve, padded shoulder strap

MIL-STD-810F • FED-STD-101C
ATA 300

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLOURS

AVAILABLE ACCESSORIES

CERTIFICATES

Case contents not included



PELI™ STORM CASE™ ORGANISATION SOLUTIONS



LID ORGANISERS

Customise your case with a lightweight lid organizer, utility organizer or photo pallet kit to keep your gear organized and protected inside. The organizers fit perfectly inside the lid of the case and are covered with a water-resistant, PVC-coated, high denier nylon fabric for strength and protection from the elements. Installs with Velcro® strips (included).

PADDED DIVIDERS

Main dividers that span the length of the case are complemented by varying sizes of subdividers. Velcro® edges make it easy to reposition these dividers into the spaces you need. See individual accessory configurations product listings for availability.



LID ORGANISERS OPTIONS

CASE	PHOTOGRAPHER'S ORGANISER	LID ORGANISER	UTILITY ORGANISER
iM2300	iM24XX-PHOTOPALLET	iM2300-LIDORG	
iM2370		iM2370-LIDORG	iM2370-UTILITYORG
iM2400	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2450	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2500			iM2500-UTILITYORG
iM2600		iM26XX-LIDORG	iM26XX-UTILITYORG
iM2620		iM26XX-LIDORG	iM26XX-UTILITYORG
iM2700			iM27XX-UTILITYORG
iM2720			iM27XX-UTILITYORG
iM2750			iM27XX-UTILITYORG
iM2875			iM2875-UTILITYORG
iM2950			iM29XX-UTILITYORG
iM2975			iM29XX-UTILITYORG
iM3075			iM30XX-UTILITYORG
	Present an array of compartments including an assortment of elastic strapping and mesh nylon zipper pockets to house, protect, and organise your gear.	Are styled with deep expandable folder pockets and sleeves for various office attaché style components.	Offer various folder pockets, sleeves, and include a vast array of mesh nylon zipper pockets to house, protect, and organise gear.

Lid Organisers are installed with Velcro® (included)

PADDED DIVIDER OPTIONS

CASE	LAYERS	DIVIDER SET ONLY
iM2050	1	iM2050-DIV
iM2075	1	iM2075-DIV
iM2100	1	iM2100-DIV
iM2200	1	iM2200-DIV
iM2300	1	iM2300-DIV
iM2306	1	iM2306-DIV
iM2370	1	iM2370-DIV
iM2400	1	iM2400-DIV
iM2450	1	iM2450-DIV
iM2500	1	iM2500-DIV
iM2600	1	iM2600-DIV
iM2620	1	iM2620-DIV
iM2700	1	iM2700-DIV
iM2720	1	iM2720-DIV
iM2750	2	iM2750-DIV
iM2875	1	iM2875-DIV
iM2950	1	iM2950-DIV
iM2975	2	iM2975-DIV
iM3075	2	iM3075-DIV

CASE	EXTERIOR	INTERIOR	LID DEPTH	CASE DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLOURS	BUOYANCY MAXIMUM	TEMPERATURE	CERTIFICATES
iM2050	30 x 24.9 x 11.9 cm (11.80" x 9.80" x 4.70")	24.1 x 19 x 10.8 cm (9.50" x 7.50" x 4.25")	3.8 cm 1.50"	7 cm (2.75")	1.36 kg (3 lbs.)	1.22 kg (2.7 lbs.)		7.57 kg (16.68 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2075	30 x 24.9 x 19.6 cm (11.80" x 9.80" x 7.70")	24.1 x 19 x 18.4 cm (9.50" x 7.50" x 7.25")	3.8 cm (1.50")	14.6 cm (5.75")	1.68 kg (3.7 lbs.)	1.5 kg (3.3 lbs.)		12.9 kg (28.45 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2100	36.1 x 28.9 x 16.5 cm (14.20" x 11.40" x 6.50")	33 x 23.4 x 15.2 cm (13.00" x 9.20" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	2.22 kg (4.9 lbs.)	1.91 kg (4.2 lbs.)		15.34 kg (33.82 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2200	41.1 x 32.2 x 16.8 cm (16.20" x 12.70" x 6.60")	38.1 x 26.7 x 15.2 cm (15.00" x 10.50" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	2.77 kg (6.1 lbs.)	2.22 kg (4.9 lbs.)		20.03 kg (44.16 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2300	46.2 x 34 x 17 cm (18.20" x 13.40" x 6.70")	43.2 x 29.7 x 15.7 cm (17.00" x 11.70" x 6.20")	5.1 cm (2.00")	10.7 cm (4.20")	3.22 kg (7.1 lbs.)	2.68 kg (5.9 lbs.)		24.15 kg (53.24 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2306	46.2 x 21.3 x 17 cm (18.20" x 8.40" x 6.70")	43.2 x 16 x 15.7 cm (17.00" x 6.30" x 6.20")	5.1 cm (2.00")	10.7 cm (4.20")	2.13 kg (4.7 lbs.)	1.95 kg (4.3 lbs.)		14.84 kg (32.71 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2370	50.8 x 37.3 x 14.7 cm (20.00" x 14.70" x 5.80")	46.2 x 30.7 x 13.2 cm (18.20" x 12.10" x 5.20")	4.3 cm (1.70")	8.9 cm (3.50")	3.27 kg (7.2 lbs.)	2.59 kg (5.7 lbs.)		25.68 kg (56.61 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2400	48.7 x 38.6 x 18.5 cm (19.20" x 15.20" x 7.30")	45.7 x 33 x 17 cm (18.00" x 13.00" x 6.70")	5.1 cm (2.00")	11.9 cm (4.70")	3.54 kg (7.8 lbs.)	2.95 kg (6.5 lbs.)		31.96 kg (70.47 lbs.)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2450	48.7 x 38.6 x 22.9 cm (19.20" x 15.20" x 9.00")	45.7 x 33 x 21.3 cm (18.00" x 13.00" x 8.40")	5.1 cm (2.00")	16.2 cm (6.40")	4.04 kg (8.9 lbs.)	3.36 kg (7.4 lbs.)		28.86 kg (63.62 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2500	55.1 x 35.8 x 22.6 cm (21.70" x 14.10" x 8.90")	52 x 29.2 x 18.3 cm (20.50" x 11.50" x 7.20")	5.1 cm (2.00")	13.2 cm (5.20")	6.21 kg (13.7 lbs.)	5.03 kg (11.1 lbs.)		39.64 kg (87.39 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2600	53.8 x 40.6 x 21.1 cm (21.20" x 16.00" x 8.30")	50.8 x 35.5 x 19.6 cm (20.00" x 14.00" x 7.70")	5.1 cm (2.00")	14.5 cm (5.70")	5.26 kg (11.6 lbs.)	3.86 kg (8.5 lbs.)		42.28 kg (93.22 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2620	53.8 x 40.6 x 26.9 cm (21.20" x 16.00" x 10.60")	50.8 x 35.5 x 25.4 cm (20.00" x 14.00" x 10.00")	5.1 cm (2.00")	20.3 cm (8.00")	6.58 kg (14.5 lbs.)	5.67 kg (12.5 lbs.)		58.93 kg (129.91 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2700	62.5 x 50 x 21.8 cm (24.60" x 19.70" x 8.60")	55.9 x 43.2 x 20.3 cm (22.00" x 17.00" x 8.00")	5.1 cm (2.00")	15.2 cm (6.00")	6.53 kg (14.4 lbs.)	5.03 kg (11.1 lbs.)		63.27 kg (139.48 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2720	62.5 x 50 x 29.7 cm (24.60" x 19.70" x 11.70")	55.9 x 43.2 x 25.4 cm (22.00" x 17.00" x 10.00")	5.1 cm (2.00")	20.3 cm (8.00")	9.98 kg (22 lbs.)	7.62 kg (16.8 lbs.)		85.3 kg (188.06 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2750	62.5 x 50 x 36.6 cm (24.60" x 19.70" x 14.40")	55.9 x 43.2 x 32.2 cm (22.00" x 17.00" x 12.70")	5.1 cm (2.00")	27.2 cm (10.70")	10.61 kg (23.4 lbs.)	8.39 kg (18.5 lbs.)		105.97 kg (233.63 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2875	63.2 x 60.2 x 33.3 cm (24.90" x 23.70" x 13.10")	57.1 x 53.6 x 28.9 cm (22.50" x 21.10" x 11.40")	5.1 cm (2.00")	23.9 cm (9.40")	11.16 kg (24.6 lbs.)	9.12 kg (20.1 lbs.)		117.58 kg (259.21 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2950	79.5 x 51.8 x 31 cm (31.30" x 20.40" x 12.20")	73.6 x 45.7 x 26.7 cm (29.00" x 18.00" x 10.50")	5.1 cm (2.00")	21.6 cm (8.50")	13.02 kg (28.7 lbs.)	9.43 kg (20.8 lbs.)		118.23 kg (260.65 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2975	79.5 x 51.8 x 39.4 cm (31.30" x 20.40" x 15.50")	73.6 x 45.7 x 35 cm (29.00" x 18.00" x 13.80")	5.1 cm (2.00")	30 cm (11.80")	13.38 kg (29.5 lbs.)	10.34 kg (22.8 lbs.)		150.94 kg (332.77 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3075	84.5 x 62 x 49 cm (33.30" x 24.40" x 19.30")	75.7 x 52.8 x 45.2 cm (29.80" x 20.80" x 17.80")	10.2 cm (4.00")	34.9 cm (13.75")	20.41 kg (45 lbs.)	14.29 kg (31.5 lbs.)		240.81 kg (530.89 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3100	101.1 x 41.9 x 17 cm (39.80" x 16.50" x 6.70")	92.7 x 35.5 x 15.2 cm (36.50" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	8.98 kg (19.8 lbs.)	6.89 kg (15.2 lbs.)		64.67 kg (142.58 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3200	119.8 x 41.9 x 17 cm (47.20" x 16.50" x 6.70")	111.7 x 35.5 x 15.2 cm (44.00" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	9.57 kg (21.1 lbs.)	8.03 kg (17.7 lbs.)		77.48 kg (170.82 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3220	119.8 x 41.9 x 23.4 cm (47.20" x 16.50" x 9.20")	111.7 x 35.5 x 21.6 cm (44.00" x 14.00" x 8.50")	5.1 cm (2.00")	16.5 cm (6.50")	11.25 kg (24.8 lbs.)	9.25 kg (20.4 lbs.)		108.17 kg (238.47 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3300	136.6 x 41.9 x 17 cm (53.80" x 16.50" x 6.70")	128.2 x 35.5 x 15.2 cm (50.50" x 14.00" x 6.00")	5.1 cm (2.00")	10.2 cm (4.00")	10.43 kg (23 lbs.)	8.66 kg (19.1 lbs.)		88.85 kg (195.89 lbs.)	-29 / 60° C (-20 / 140° F)	MIL-STD-810F • FED-STD-101C • ATA 300

PELI STORM CASE ACCESSORIES								
CASE	BASE BEZEL KIT	LID BEZEL KIT	LID STAY	MANUAL PURGE VALVE	PADDED SHOULDER STRAP	REPLACEMENT FOAM	COMPUTER TRAY	REMOVABLE PADDED SHOULDER STRAP
iM2050	iM20XX-M4-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2050-FOAM		
iM2075	iM20XX-M4-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2075-FOAM		
iM2100	iM2100-MBEZ-B		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2100-FOAM		
iM2200	iM2200-MBEZ-B	iM2200-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2200-FOAM		
iM2300	iM2300-MBEZ-B	iM2300-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2300-FOAM		
iM2306	iM2306-MBEZ-B	iM2306-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2306-FOAM		
iM2370			iM-LIDSTAY	iM-VALVE-M-B		iM2370-FOAM	iM2370-COMPTRAY	iM2370-STRAP-S
iM2400	iM2400-MBEZ-B	iM2400-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2400-FOAM		
iM2450	iM2450-MBEZ-B		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2450-FOAM		
iM2500	iM2500-MBEZ-B	iM2500-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2500-FOAM		
iM2600	iM2600-MBEZ-B	iM2600-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2600-FOAM		
iM2620			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2620-FOAM		
iM2700	iM27XX-M4-BEZEL	iM27XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2700-FOAM		
iM2720	iM27XX-M4-BEZEL	iM27XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM2720-FOAM		
iM2750	iM27XX-M4-BEZEL	iM27XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM2750-FOAM		
iM2875	iM2875-MBEZ-B	iM28XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM2875-FOAM		
iM2950	iM29XX-M4-BEZEL	iM29XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM2950-FOAM		
iM2975	iM29XX-M4-BEZEL	iM29XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM2975-FOAM		
iM3075	iM30XX-MBEZ-B	iM30XX-M4-BEZEL-L	iM-LIDSTAY	iM-VALVE-M-B		iM3075-FOAM		
iM3100			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3100-FOAM		
iM3200			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3200-FOAM		
iM3220			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3220-FOAM		
iM3300			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3300-FOAM		

ROTO PACK: MORE THAN A BOX



SPECIALTY PRODUCTS



SINGLE LID CASES



**BLACK BOX
RACKMOUNT CASES**



THE LINE UP:



SPECIALTY PRODUCTS

Our specialty products are well engineered portable workspace solutions. They range from portable desks that set up in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organised. Whatever your need, whatever the environment, we have a durable solution.

SINGLE LID CASES

Transport and protect your equipment in our Single Lid Cases. These cases are lightweight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.



**BLACK BOX
RACKMOUNT CASES**

These lightweight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Peli's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, a BlackBox is the answer.





SINGLE LID CASES

Protect and transport anything from LCD monitors to aircraft parts. One-piece construction moulded from lightweight, high-impact polyethylene with patented metal inserts for added strength.




TRUNK

STANDARD FEATURES

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

COLOURS

■

CATALOGUE NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
AL3018-1505-RP-032	83.2 x 53 x 55.7 cm	75.5 x 45.4 x 51.1 cm	37.8 cm	13.3 cm/ Hinged Lid	std edge casters
AL3418-1005-RP-032	94.4 x 53 x 44 cm	86.8 x 45.4 x 39 cm	25.7 cm	13.3 cm/ Hinged Lid	std edge casters
AL4024-1305-RP-032	108.8 x 69.3 x 51.3 cm	101.2 x 61.7 x 45.7 cm	32.4 cm	13.3 cm/ Hinged Lid	std edge casters
AL5424-2306-RP-032	144.4 x 68.4 x 85.7 cm	136.8 x 60.8 x 73.3 cm	57.8 cm	15.5 cm/ Hinged Lid	

 Forklift Skidrunner (one-piece moulded skid-runners provide clearance for forklift tines and pallet jacks)

FLAT

STANDARD FEATURES

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

COLOURS

■

CATALOGUE NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
AL1616-0505-RP-032	47.6 x 47.9 x 31 cm	40 x 40.3 x 26.8 cm	13.8 cm	13 cm/ Hinged Lid	no casters available
AL2013-0903-RP-032	58.1 x 40.6 x 35.3 cm	50.5 x 33 x 31.2 cm	23.6 cm	7.6 cm/ Hinged Lid	no casters available
AL5415-1026-RP-032	144.9 x 47.9 x 100.6 cm	138.7 x 40.3 x 91.1 cm	25.4 cm	65.7 cm/ Removable Lid	2 std. edge casters and 2 casters



LONG

STANDARD FEATURES

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

COLOURS

■

CATALOGUE NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
AL6912-1003-RP-032	183.7 x 38.1 x 41.3 cm	176.1 x 30.5 x 35.8 cm	26.6 cm	9.1 cm/ Hinged Lid	no casters available




CUBE

STANDARD FEATURES

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Moulded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

COLOURS

■

CATALOGUE NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
AL2624-1805-RP-032	73.9 x 68.6 x 67.5 cm	67 x 60.9 x 58.1 cm	45.2 cm	12.9 cm/ Hinged Lid	no casters available
AL3834-1617-RP-032	104.4 x 94.2 x 98.6 cm	96.8 x 86.6 x 83.8 cm	40 cm	43.8 cm/ Removable Lid	

SPECIALTY PRODUCTS



Erect a command center virtually anywhere. Modular designs allow for multiple configurations constructed with the same quality and strength as our cases.



472FLDDESKTA137
Single Field Desk



472FLDDESKDD137
Double Duty™ Field Desk

SPECIALTY PRODUCTS - FIELD DESKS | OFFICE SUPPORT

CATALOGUE NUMBER	COLLAPSED FORM	EXTENDED FORM	SPECIAL FEATURES*	COLOURS
472FLDDESKTA137	77.9 x 53.3 x 72.4 cm	156 x 72.4 x 72.4 cm	<ul style="list-style-type: none"> 1 Large work surface, chair, and drawers 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes 1 Chair: load rated to 136 kg each Airtight and watertight 	
472FLDDESKDD137	86.3 x 63.2 x 72.4 cm	259.1 x 72.4 x 72.4 cm	<ul style="list-style-type: none"> 2 Large desk surfaces, with rolling casters 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes 2 Casters 2 Chairs: Load rated to 136 kg each Airtight and watertight 	



IMTRLK-30001
Trunklocker



472FTLKL137
Footlocker



472MEDCHEST3182
Medchest 3



472MEDCHEST34D182
Medchest 4 drawer



472MEDCHEST38D182
Medchest 8 drawer

SPECIALTY PRODUCTS-MEDICAL CHEST | STORAGE LOCKERS

CATALOGUE NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	SPECIAL FEATURES*	COLOURS
IMTRLK-30001	92.2 x 47 x 49.8 cm	83.5 x 38.1 x 45.2 cm	<ul style="list-style-type: none"> Storage locker • Extra-deep storage cavity • Two press & pull latches • Injection moulded outer shell • Two organisation trays • Moulded-in stacking ribs • Water resistant 	
472FTLKL137	83.8 x 43.2 x 43.2 cm	73.6 x 35.5 x 38.1 cm	<ul style="list-style-type: none"> 2 wheels • 2 black trays • Spring loaded butterfly latches Airtight and watertight 	
472MEDCHEST3182	83.2 x 53 x 32 cm	75.5 x 45.4 x 27.4 cm	<ul style="list-style-type: none"> Storage chest • 2 wheels • Made from fire retardant material • Spring loaded butterfly latches • 7.6 x 12.7cm Card holder • Airtight and watertight 	
472MEDCHEST34D182	83.2 x 53 x 32 cm	75.5 x 45.4 x 27.4 cm	<ul style="list-style-type: none"> Four-drawer case with full extension sliding drawers • 2 wheels • Spring loaded butterfly latches • Full-extension ball-bearing slides • Made from fire retardant material • Airtight and watertight • Customisable divider system 	
472MEDCHEST38D182	83.2 x 53 x 32 cm	75.5 x 45.4 x 27.4 cm	<ul style="list-style-type: none"> Eight-drawer case with full extension sliding drawers • 2 wheels • Spring loaded butterfly latches • Full-extension ball-bearing slides • Made from fire retardant material • Airtight and watertight • Customisable divider system • One lockable drawer • Removable stainless-steel work tray • Comfort Grip Handles 	

RACK MOUNT CASES

From the most delicate equipment to slightly more rugged electronics, Peli has a case with the perfect combination of shock, vibration protection and portability.



BlackBox-3U



BlackBox-4U



BlackBox-5U



BlackBox-7U



BlackBox-9U



BlackBox-11U




BlackBox-14U

RACK MOUNT CASES-BLACKBOX

CATALOGUE NUMBER	U-SIZE	LID INTERIOR DIM. (FRONT)	LID INTERIOR DIM. (BACK)	RACK L X W X H	EXTERIOR DIMENSIONS	COLOURS	STANDARD FEATURES
BLACKBOX-3U-M6	3U	5.6 cm	13.2 cm	61.0 x 48.3 x 13.3 cm	97.8 x 62.5 x 28.9 cm	■	<ul style="list-style-type: none"> Engineered racks provide a secure and mobile electronics enclosure up to 45.35 kg
BLACKBOX-4U-M6	4U	5.6 cm	13.2 cm	61.0 x 48.3 x 17.8 cm	97.8 x 62.5 x 33.3 cm	■	<ul style="list-style-type: none"> Shock mounts provide 5.1 cm of sway space to isolate equipment
BLACKBOX-5U-M6	5U	5.6 cm	13.2 cm	61.0 x 48.3 x 22.2 cm	97.8 x 62.5 x 37.8 cm	■	<ul style="list-style-type: none"> Moulded-in rib design provides secure stacking and interlock
BLACKBOX-7U-M6	7U	5.6 cm	13.2 cm	61.0 x 48.3 x 31.1 cm	97.8 x 62.5 x 46.7 cm	■	<ul style="list-style-type: none"> Patented wide-design Comfort Grip Handles make lifting easy
BLACKBOX-9U-M6	9U	5.6 cm	13.2 cm	61.0 x 48.3 x 40.0 cm	97.8 x 62.5 x 55.6 cm	■	<ul style="list-style-type: none"> Black hardware is long-lasting and fastens securely
BLACKBOX-11U-M6	11U	5.6 cm	13.2 cm	61.0 x 48.3 x 48.9 cm	97.8 x 62.5 x 64.5 cm	■	<ul style="list-style-type: none"> Lightweight and compact
BLACKBOX-14U-M6	14U	5.6 cm	13.2 cm	61.0 x 48.3 x 62.2 cm	97.8 x 62.5 x 77.7 cm	■	<ul style="list-style-type: none"> 2 wheels

MISCELLANEOUS



PELI™ DESICCANT (SILICA GEL)

CAT. NO. 1500D

Peli Desiccant Silica Gel “drinks” dampness, prevents condensation from trapped air when cases are opened in damp, high humidity climates.

- Fits all Peli Cases
- Size: 5.1 x 10.2 cm



QUICK MOUNTS (SET OF 4)

CAT. NO. 1507 | PELI™

- For mounting special equipment
- Fits all Storm Cases
- Colour: Black




TSA LOCK

CAT. NO. 1506TSA

- Special TSA accepted lock
- TSA personnel can safely lock and unlock
- You can set hundreds of combinations
- Fits all Peli Cases

GLOBAL LOCATIONS



Corporate Office

Torrance, California

Advanced Case Centers

- Ontario, California
- Northampton, Massachusetts
- Front Royal, Virginia
- St-Jean-sur-Richelieu, Canada
- Ashford, UK

Manufacturing Facilities

- Torrance, California
- S. Deerfield, Massachusetts
- Market Deeping, UK
- Crottendorf, Germany
- Melbourne, Australia

International Sales Offices

- Barcelona, Spain
- Dusseldorf, Germany
- Edmonton, Canada
- Tokyo, Japan
- Sydney, Australia
- Shanghai, China
- Paris, France
- Bourg en Bresse, France
- Dubai, UAE
- Ashford, UK
- Istanbul, Turkey
- Johannesburg, South Africa
- Tel Aviv, Israel
- Miami, Florida (Latin America)
- Seoul, S. Korea
- New Delhi, India
- Singapore

SEE THE FULL LINE OF PRODUCTS AT:

PELI.COM



PELI TOUGH LIGHTING TOOLS

- Safety approved lights for hazardous areas
- Tactical lights for military and law enforcement
- Specialised lights for fire and rescue operations
- Submersible lights for diving
- Headlamps



PELI LED AREA LIGHTING

- Up to 56 hours of light
- Lightweight
- Battery powered
- Breakthrough LED technology
- Portable
- Rechargeable
- Completely collapsible



PELI-HARDIGG™ SINGLE LID CASES

- Rotational Moulding Technology
- Recessed hardware
- Comfort Grip Handles
- Available airtight/watertight designs
- Over 300 sizes
- Built-in skid runners option available on select models
- Mobile Military solutions for Medical, Information Technology, Office, Armory, and Transport Logistics
- Reinforced corners and edges for impact protection



PELI-HARDIGG™ RACK MOUNT CASES

- Over 140 models from 3U-26U for rack depths of 48-83 cm
- Rotational Moulding Technology for secure server transport
- Controls impact forces from 15 Gs to 120 Gs
- Shock mounts isolate vibration and impacts
- Designed to meet ANSI/EIA-310C for universal rack mounting hole pattern
- Removable rack systems for use in the field (select models)



PELI-HARDIGG™ ADVANCED CASE SOLUTIONS™

- Mission Critical Custom Cases
- Project evaluation
- Prototype, first articles, and testing
- Complete design and engineered custom solutions
- Manufacturing and Integration

