



SPECIFICATIONS

Cannon Type

Calibre:

Rate of fire:

• Muzzle velocity:

Range (max):

Range (effective)

• Recoil force (max):

Recoil force (mean):

• Weight of cannon (less magazine):

Weight of belt feed Drum magazine:

HS804

20 x 110 mm

620 - 780 rpm

835 m/s (2,740 ft/s)

5,700 m (6,234 yds)

2,000 m (2,187 yds)

4.5 kN (1,012 lbf)

1.6 kN (360 lbf)

42.8 kgf (94.4 lbf)

5.6 kgf (12.3 lbf)

AMMUNITION

TP & TP-T

HE & HE-T

HEI & HEI-T

AP & AP-T

API & API-T

Target practice (+ Tracer)

High explosive (+ Tracer)

High explosive incendiary (+ Tracer)

Armour piercing (+ Tracer)

Armour piercing incendiary (+ Tracer)

Tel: +44 (0) 1344 636200 | Fax: +44 (0) 1344 636205 | Email: sales@aei-systems.com | Web: www.aei-systems.com



AE20-NM 20mm Naval Mount

DESCRIPTION

AEI have developed the AE20 NM Naval Gun Mounting as an up-to-date alternative to, and a bolt-on replacement for the Oerlikon Type A41A. The mount has been designed in-house, using the latest material technology, to give the maximum reliability demanded by arduous sea borne conditions. The AE20 NM is designed to accept the original and well proven Hispano-Suiza type 804 20mm Cannon, of which AEI has the largest worldwide stock of complete weapons and spares.

Where the customer demands ruggedness and reliability as the main criteria, rather than expensive and often unnecessary sophistication, the cannon and mount integrate to form an economical and compact solution, without sacrificing build quality. As a multi-purpose weapon, it is highly effective against surface, air and land targets, and is ideally suited as a main armament on fast attack boats and patrol craft or as a secondary armament on larger vessels.

The 20 mm HS804 is a gas operated, reciprocating and open bolt gun. The drum magazine holds up to 60 rounds of linkless ammunition.



Tel: +44 (0) 1344 636200 | Fax: +44 (0) 1344 636205 | Email: sales@aei-systems.com | Web: www.aei-systems.com

WWW.AEI-SYSTEMS.COM